

CAR FUEL ADDITIVES AND CLEANERS FORMULATIONS

**CAR
FUEL ADDITIVES
AND
CLEANERS**

FORMULATIONS

AND

PRODUCTION PROCESS

CAR FUEL ADDITIVES AND CLEANERS FORMULATIONS

YUSUF AKKAPULU

AUTHOR

R&D MANAGER

E - Book

ISBN 13: 978-625-00-7447-3

ISBN 10: 6250074473

Allrights of this publication belongs to

SOLVERCHEM BOOKS

WHAT IS PRODUCTION PROCESS

Production is the name given to the process of obtaining a good or service by passing certain resources through various processes. In addition, the word production can be defined as efforts to increase the benefits or quantities of goods or services that emerge to meet human needs. In other words, production can be called activities that will increase the ability of benefit. In addition, in a narrower expression, it is a good or service obtained by exerting effort with thought or physical strength.

Production is the process of transforming raw materials into final products using labor, tools, machinery, capital and chemical processes. Production output can be consumer goods or industrial goods. As the name suggests, consumer goods are purchased by the average customer for their own needs. Industrial goods, on the other hand, are sold to manufacturers and used in the production of other goods. The purpose of any production process is not only to create a finished product, but also to do so as efficiently as possible.

Production in industrial chemistry is chemical products that are formulated and produced by conducting R&D studies so that production does not fail during and after the production phase of the industry. The chemicals needed by industrial chemistry are divided into two as organic chemicals and inorganic chemicals. Industrial Chemicals are products produced from mixtures of appropriate chemical substances in the right amount by conducting R&D studies in line with the needs of the industrial chemical industry. While the science of chemistry offers innovation and difference in many areas of our lives, it is necessary to produce the chemical products needed for the continuity of production in the industry. This is where the Industrialized version of Chemistry Science, namely Industrial Chemistry, comes into play. Industrial Chemistry aims to transform many chemical substances into chemicals that can work at the desired level by dissolving, mixing, heating, reacting and interacting with suitable formulations under the light of Chemistry science.

SOLVER CHEM

HOW TO MAKE

CAR WASH PRODUCTS

The production of [Car Fuel Additives And Cleaners](#) is not very complex. And no heat is used in any production stage and it is a completely cold process.

For the production of [Car Fuel Additives And Cleaners](#), raw materials, a simple mixing mechanism and a usable formulation and in addition to this, a production process are needed.

For the production of quality and economical [Car Fuel Additives And Cleaners](#), the formulation and production process are very important. Because this formulation is used to decide which raw materials should be added in what quantities and in what order.

For the production of [Car Fuel Additives And Cleaners](#), there is no need for a very large area and large capital. In addition, there is no need for a technical machine and technical support.

You can produce [Car Fuel Additives And Cleaners](#) on yourself by using the formulas and production methods below.

SOLVER CHEM

INDEX

CAR FUEL ADDITIVES

FORMULATIONS AND MANUFACTURING PROCESS

1 – **DIESEL FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 1

2 – **DIESEL FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 2

3 – **DIESEL FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 3

4 – **DIESEL FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 4

5 – **DIESEL WINTER FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 1

6 – **DIESEL WINTER FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 2

7 – **DIESEL WINTER FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 3

8 – **DIESEL WINTER FUEL ADDITIVE**

FORMULATION AND PRODUCTION PROCESS – 4

9 – **DIESEL FUEL SYSTEM TREATMENT**

FORMULATION AND PRODUCTION PROCESS – 1

10 – **DIESEL FUEL SYSTEM TREATMENT**

FORMULATION AND PRODUCTION PROCESS – 2

- 11 – **DIESEL FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 3
- 12 – **DIESEL FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 4
- 13 – **GASOLINE FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 1
- 14 – **GASOLINE FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 2
- 15 – **GASOLINE FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 3
- 16 – **GASOLINE FUEL SYSTEM TREATMENT**
FORMULATION AND PRODUCTION PROCESS – 4
- 17 – **GASOLINE OCTANE BOOSTER FUEL ADDITIVE**
FORMULATION AND PRODUCTION PROCESS – 1
- 18 – **GASOLINE OCTANE BOOSTER FUEL ADDITIVE**
FORMULATION AND PRODUCTION PROCESS – 2
- 19 – **GASOLINE OCTANE BOOSTER FUEL ADDITIVE**
FORMULATION AND PRODUCTION PROCESS – 3
- 20 – **GASOLINE OCTANE BOOSTER FUEL ADDITIVE**
FORMULATION AND PRODUCTION PROCESS – 4

CAR PART CLEANERS

FORMULATIONS AND MANUFACTURING PROCESS

- 21 – **INJECTOR CLEANER**
FORMULATION AND PRODUCTION PROCESS – 1

- 22 – **INJECTOR CLEANER**
FORMULATION AND PRODUCTION PROCESS – 2
- 23 – **INJECTOR CLEANER**
FORMULATION AND PRODUCTION PROCESS – 3
- 24 – **INJECTOR CLEANER**
FORMULATION AND PRODUCTION PROCESS – 4
- 25 – **RADIATOR FLUSH AND CLEANER**
FORMULATION AND PRODUCTION PROCESS – 1
- 26 – **RADIATOR FLUSH AND CLEANER**
FORMULATION AND PRODUCTION PROCESS – 2
- 27 – **RADIATOR FLUSH AND CLEANER**
FORMULATION AND PRODUCTION PROCESS – 3
- 28 – **RADIATOR FLUSH AND CLEANER**
FORMULATION AND PRODUCTION PROCESS – 4
- 29 – **BRAKE PAD CLEANER SPRAY**
FORMULATION AND PRODUCTION PROCESS – 1
- 30 – **BRAKE PAD CLEANER SPRAY**
FORMULATION AND PRODUCTION PROCESS – 2
- 31 – **BRAKE PAD CLEANER SPRAY**
FORMULATION AND PRODUCTION PROCESS – 3
- 32 – **BRAKE PAD CLEANER SPRAY**
FORMULATION AND PRODUCTION PROCESS – 4
- 33 – **LIQUID GREASE SPRAY**
FORMULATION AND PRODUCTION PROCESS – 1

- 34 – **LIQUID GREASE SPRAY**
FORMULATION AND PRODUCTION PROCESS – 2
- 35 – **LIQUID GREASE SPRAY**
FORMULATION AND PRODUCTION PROCESS – 3
- 36 – **LIQUID GREASE SPRAY**
FORMULATION AND PRODUCTION PROCESS – 4
- 37 – **RUST & STAIN REMOVER AND DEGREASER**
MULTIPURPOSE LUBRICANT SPRAY
FORMULATION AND PRODUCTION PROCESS – 1
- 38 – **RUST & STAIN REMOVER AND DEGREASER**
MULTIPURPOSE LUBRICANT SPRAY
FORMULATION AND PRODUCTION PROCESS – 2
- 39 – **RUST & STAIN REMOVER AND DEGREASER**
MULTIPURPOSE LUBRICANT SPRAY
FORMULATION AND PRODUCTION PROCESS – 3
- 40 – **RUST & STAIN REMOVER AND DEGREASER**
MULTIPURPOSE LUBRICANT SPRAY
FORMULATION AND PRODUCTION PROCESS – 4
- 41 – **PITCH OIL AND BUG TAR ASPHALT**
REMOVER SPRAY
FORMULATION AND PRODUCTION PROCESS – 1
- 42 – **PITCH OIL AND BUG TAR ASPHALT**
REMOVER SPRAY
FORMULATION AND PRODUCTION PROCESS – 2

43 – **PITCH OIL AND BUG TAR ASPHALT**

REMOVER SPRAY

FORMULATION AND PRODUCTION PROCESS – 3

44 – **PITCH OIL AND BUG TAR ASPHALT**

REMOVER SPRAY

FORMULATION AND PRODUCTION PROCESS – 4

45 – **ENGINE BLOCK CLEANER**

AND DEGREASER SPRAY

FORMULATION AND PRODUCTION PROCESS – 1

46 – **ENGINE BLOCK CLEANER**

AND DEGREASER SPRAY

FORMULATION AND PRODUCTION PROCESS – 2

47 – **ENGINE BLOCK CLEANER**

AND DEGREASER SPRAY

FORMULATION AND PRODUCTION PROCESS – 3

48 – **ENGINE BLOCK CLEANER**

AND DEGREASER SPRAY

FORMULATION AND PRODUCTION PROCESS – 4

CAR FUEL ADDITIVES AND CLEANERS FORMULATIONS

CAR

FUEL

ADDITIVES

FORMULATIONS

AND

PRODUCTION PROCESS

GASOLINE
FUEL SYSTEM TREATMENT
FORMULATIONS
AND
PRODUCTION PROCESS

| INGREDIENTS | AMOUNTS |
|--|----------------|
| PETROLEUM BENZINE (Cas : 64742-49-0) | 95 Kg |
| MINERAL OIL (SN 100) | 1.500 Kg |
| BUTYL GLYCOL (Solvent) | 3 Kg |
| NAPHTHALENE (Solvent) | 0.500 Kg |
| TOTAL | 100 |

PROCESS: Above ingredients are added in a mixer tank and mixed until homogeneous. If homogenous is enough. Process is completed.

NOTE: The product formulated above is used by pouring it into the gasoline one fuel tank at ratio of 350 ml

NOTE: Amounts of raw materials above used can be adjusted depending on market conditions.

LIQUID GREASE SPRAY

FORMULATIONS AND PRODUCTION PROCESS

| INGREDIENTS | AMOUNTS |
|------------------------|----------------|
| | |
| HEXANE | 50 Kg |
| | |
| METHYLENE CHLORIDE | 15 Kg |
| | |
| MINERAL OIL (SN 150) | 35 Kg |
| | |
| TOTAL | 100 |

PROCESS: Above ingredients are added in a mixer tank and mixed until homogeneous. If homogenous is enough. Process is completed.

NOTE: Amounts of raw materials above used can be adjusted depending on market conditions.